

## Product certificate K12080/10

Issued 2020-07-15

Replaces K12080/09

Page 1 of 14

### Tectite Push-fit fittings

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Pegler Yorkshire Group Ltd.

as specified in this product certificate and marked with the Kiwa<sup>®</sup>-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K640 "Fittings to be tightened with matching compression tool, compression- and push fit fittings as part of appliances and installations" dated 02-10-2019.

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

# CERTIFICATE

286180711

#### Kiwa Nederland B.V.

Sir Winston Churchillaan 273  
P.O. Box 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
[info@kiwa.nl](mailto:info@kiwa.nl)  
[www.kiwa.nl](http://www.kiwa.nl)

#### Company

Pegler Yorkshire Group Ltd.  
St. Catherines Avenue 0 0  
DN4 8DF DONCASTER  
United Kingdom of Great Britain and  
Northern Ireland  
Tel. (+44) 01302560240



Certification process  
consists of initial and  
regular assessment of:

- quality system
- product

Tectite Push-fit fittings

**PRODUCT SPECIFICATION**

The products mentioned below belong to this technical approval-with-product certificate

**Tectite Sprint Series**

**TT1 Straight coupling**

Art. no.	Size
75500	10mm
75501	15mm
75502	22mm
75503	28mm

**TT2 Straight female connector**

Art. no.	Size
75510	15mm x 1/2"
75511	22mm x 3/4"

**TT21 Obtuse elbow**

Art. no.	Size
75701	12mm
75702	14mm
75551	15mm
75703	16mm
75704	18mm
75552	22mm
75553	28mm

**TT5 Tank connector**

Art. no.	Size
75520	15mm x 1/2"
75521	22mm x 3/4"

**TT12 Elbow**

Art. no.	Size
75530	10mm
75531	15mm
75532	22mm
75533	28mm

**TT13 Male elbow**

Art. no.	Size
75540	15mm x 1/2"

**TT15 Backplate elbow**

Art. no.	Size
75550	15mm x 1/2"

**TT26 Tee, one end reduced**

Art. no.	Size
75582	22 x 15 x 15mm
75584	28 x 22 x 22mm

**TT25 Tee, reduced branch**

Art. no.	Size
75565	15 x 15 x 10mm
75566	22 x 22 x 10mm
75567	22 x 22 x 15mm
75568	28 x 28 x 15mm
75569	28 x 28 x 22mm

**TT1R Reducing coupling**

Art. no.	Size
75504	5 x 10mm
75505	22 x 15mm

**TT3 Straight male connector**

Art. no.	Size
75515	15mm x 1/2"
75516	22mm x 3/4"
75518	28mm x 1"

**TT21S Obtuse street elbow**

Art. no.	Size
75705	12mm
75706	14mm
75585	15mm
75707	16mm
75708	18mm
75586	22mm
75587	28mm

**TT6 Reducer**

Art. no.	Size
75523	15 x 10mm
75525	22 x 15mm
75526	28 x 15mm
75527	28 x 22mm

**TT12S Street elbow**

Art. no.	Size
75535	10mm
75536	10 x 15mm
75537	15mm
75538	22mm

**TT14 Female elbow**

Art. no.	Size
75545	15mm x 1/2"

**TT24 Equal tee**

Art. no.	Size
75555	10mm
75556	15mm
75557	22mm
75558	28mm

**TT26 Tee, one end reduced**

Art. no.	Size
75573	22 x 15 x 22mm
75574	28 x 15 x 28mm
75575	28 x 22 x 28mm

## Tectite Push-fit fittings

---

### Tectite Sprint series (continued)

#### TT62 Tap connector

Art. no.	Size
75600	10mm x 1/2"
75601	15mm x 1/2"
75603	22mm x 3/4"

#### TT61 Stop end

Art. no.	Size
75590	10mm
75591	15mm
75592	22mm
75593	28mm

#### TT63 Bent tap connector

Art. no.	Size
75604	10mm x 1/2"
75605	15mm x 1/2"

## Tectite Push-fit fittings

## Tectite Pro Series

## TX1 Straight coupling

Art. no.	Size
65114	15mm
65121	22mm
65123	28mm
65126	35mm
65128	42mm
65130	54mm

## TX1 Slip straight coupling, slip pattern

Art. no.	Size
65141	15mm
65143	22mm
65144	28mm
65145	35mm
65146	42mm
65147	54mm

## TX2 Straight female connector

Art. no.	Size
65206	15mm x ½"
65222	22mm x ¾"
65223	22mm x 1"
65225	28mm x 1"
45230	35mm x 1¾"
45232	42mm x 1½"
45234	54mm x 2"

## TX3 Tapered male connector

Art. no.	Size
65267	15mm x ½"
65292	22mm x ¾"
65294	22mm x 1"
65296	28mm x 1"
45310	35mm x 1¼"
45312	42mm x 1½"
45314	54mm x 2"

## TX3P Straight male connector

Art. no.	Size
65358	15mm x ½"
65366	22mm x ¾"
65368	22mm x 1"
65370	28mm x 1"

## TX6 Reducer

Art. no.	Size
65426	22 x 15mm
65435	28 x 15mm
65438	28 x 22mm
45450	35 x 15mm
45452	35 x 22mm
45454	35 x 28mm
45456	42 x 15mm
45458	42 x 22mm
45460	42 x 28mm
45462	42 x 35mm
45464	54 x 15mm
45466	54 x 22mm
45468	54 x 28mm
45470	54 x 35mm
45472	54 x 42mm

## TX12 Elbow\*

Art. no.	Size
65516	15mm
65524	22mm
65526	28mm
45530	35mm
45532	42mm
45334	54mm

## TX13 Male elbow

Art. no.	Size
65561	15mm x ½"
65576	22mm x ¾"
65578	28mm x 1"

## TX15 Backplate elbow

Art. no.	Size
65646	15mm x ½"

## TX21S Obtuse street elbow

Art. no.	Size
65542	15mm
65545	22mm
65546	28mm
45547	35mm
45548	42mm
45549	54mm

## TX12S Street elbow

Art. no.	Size
65496	15mm
65500	22mm
65502	28mm

## TX14 Female elbow

Art. no.	Size
65606	15mm x ½"
65620	22mm x ¾"
65622	28mm x 1"

## TX21 Obtuse elbow

Art. no.	Size
65535	15mm
65538	22mm
65539	28mm
45540	35mm
45541	42mm
45558	54mm

## Tectite Push-fit fittings

## Tectite Pro series (continued)

**TX27 Tee, one end branch reduced**

Art. no.	Size
65820	22 x 15 x 15mm
65822	28 x 22 x 22mm

**TX25 Tee, reduced branch**

Art. no.	Size
65737	22 x 22 x 15mm
65744	28 x 28 x 15mm
65746	28 x 28 x 22mm
45750	35 x 35 x 15mm
45752	35 x 35 x 22mm
45753	35 x 35 x 28mm
45754	42 x 42 x 15mm
45756	42 x 42 x 22mm
45758	42 x 42 x 28mm
45760	54 x 54 x 15mm
45762	54 x 54 x 22mm
45764	54 x 54 x 28mm
45765	54 x 54 x 35mm

**TX61 Stop end**

Art. no.	Size
65866	15mm
65874	22mm
65876	28mm
65878	35mm
65880	42mm
65882	54mm

**TX62 Tap connector**

Art. no.	Size
65902	15mm x 1/2"
65171	15mm x 3/4"
65903	22mm x 3/4"

**TX24 Equal tee**

Art. no.	Size
65666	15mm
65676	22mm
65680	28mm
45680	35mm
45682	42mm
45684	54mm

**TX26 Tee, one end reduced**

Art. no.	Size
65786	22 x 15 x 22mm
65790	28 x 15 x 28mm
65793	28 x 22 x 28mm

**TX30 Female branch tee**

Art. no.	Size
65840	15 x 15 x 1/2"
65845	22 x 22 x 1/2"
65848	35 x 35 x 1/2"
65850	42 x 42 x 1/2"

**TX68S Cylinder union**

Art. no.	Size
65930	22mm x 1"

**TX68FF Flat faced union adaptor**

Art. no.	Size
65759	15mm x 3/4"

**TX63 Bent tap connector**

Art. no.	Size
65922	15mm x 1/2"
65924	22mm x 3/4"

## Tectite Push-fit fittings

## Tectite Classic series

## T1 Straight coupling

Art. no.	Size
45108	10mm
45110	12mm
45112	14mm
45114	15mm
45116	16mm
45118	18mm
45120	20mm
45121	22mm
45123	28mm

## T1R Reducing coupling

Art. no.	Size
45155	12 x 10mm
45157	14 x 12mm
45159	15 x 10mm
45161	15 x 12mm
45163	16 x 12mm
45165	16 x 14mm
45167	18 x 15mm
45168	20 x 18mm
45170	22 x 10mm
45172	22 x 15mm
45174	22 x 18mm
45178	28 x 22mm

## T2 Straight female connector

Art. no.	Size
45190	10mm x $\frac{3}{8}$ "
45192	10mm x $\frac{1}{2}$ "
45194	12mm x $\frac{3}{8}$ "
45196	12mm x $\frac{1}{2}$ "
45200	14mm x $\frac{3}{8}$ "
45202	14mm x $\frac{1}{2}$ "
45204	15mm x $\frac{3}{8}$ "
45206	15mm x $\frac{1}{2}$ "
45208	15mm x $\frac{3}{4}$ "
45210	18mm x $\frac{1}{2}$ "
45212	18mm x $\frac{3}{4}$ "
45220	22mm x $\frac{1}{2}$ "
45222	22mm x $\frac{3}{4}$ "
45223	22mm x 1"
45224	28mm x $\frac{3}{4}$ "
45225	28mm x 1"

## T3 Tapered male connector

Art. no.	Size
45250	10mm x $\frac{3}{8}$ "
45252	10mm x $\frac{1}{2}$ "
45254	12mm x $\frac{3}{8}$ "
45256	12mm x $\frac{1}{2}$ "
45265	15mm x $\frac{3}{8}$ "
45267	15mm x $\frac{1}{2}$ "
45286	18mm x $\frac{1}{2}$ "
45288	18mm x $\frac{3}{4}$ "
45290	22mm x $\frac{1}{2}$ "
45292	22mm x $\frac{3}{4}$ "
45294	22mm x 1"
45296	28mm x 1"

## T3P Straight male connector

Art. no.	Size
45350	12mm x $\frac{3}{8}$ "
45354	14mm x $\frac{3}{8}$ "
45356	14mm x $\frac{1}{2}$ "
45358	15mm x $\frac{1}{2}$ "
45360	15mm x $\frac{3}{4}$ "
45362	16mm x $\frac{1}{2}$ "
45364	22mm x $\frac{1}{2}$ "
45366	22mm x $\frac{3}{4}$ "
45368	22mm x 1"
45370	28mm x 1"

## T5 Tank connector

Art. no.	Size
45390	15mm x $\frac{1}{2}$ "
45394	22mm x $\frac{1}{2}$ "
45396	28mm x 1"

## T12 Elbow

Art. no.	Size
45510	10mm
45512	12mm
45514	14mm
45516	15mm
45518	16mm
45520	18mm
45522	20mm
45524	22mm
45526	28mm

## Tectite Push-fit fittings

## Tectite Classic series (continued)

## T12S Street elbow

Art. no.	Size
45490	10mm
45492	12mm
45494	10 x 15mm
45496	15mm
45498	18mm
45500	22mm
45502	28mm

## T13 Male elbow

Art. no.	Size
45550	10mm x $\frac{3}{8}$ "
45552	10mm x $\frac{1}{2}$ "
45554	12mm x $\frac{3}{8}$ "
45556	12mm x $\frac{1}{2}$ "
45560	14mm x $\frac{1}{2}$ "
45561	15mm x $\frac{1}{2}$ "
45563	16mm x $\frac{1}{2}$ "
45564	16mm x $\frac{3}{4}$ "
45569	18mm x $\frac{1}{2}$ "
45570	18mm x $\frac{3}{4}$ "
45576	22mm x $\frac{3}{4}$ "
45578	28mm x 1"

## T21 Obtuse elbow

Art. no.	Size
45531	12mm
45533	14mm
45535	15mm
45536	16mm
45537	18mm
45538	22mm
45539	28mm

## T24 Equal tee

Art. no.	Size
45660	10mm
45662	12mm
45664	14mm
45666	15mm
45668	16mm
45670	18mm
45674	20mm
45676	22mm
45678	28mm

## T6 Reducer

Art. no.	Size
45410	12 x 10mm
45414	14 x 12mm
45416	15 x 10mm
45418	15 x 12mm
45420	16 x 12mm
45421	16 x 14mm
45423	18 x 12mm
45424	18 x 15mm
45425	22 x 12mm
45426	22 x 15mm
45430	22 x 18mm
45435	28 x 15mm
45437	28 x 18mm
45438	28 x 22mm

## T15 Backplate elbow

Art. no.	Size
45630	10mm x $\frac{1}{2}$ "
45638	12mm x $\frac{1}{2}$ "
45640	14mm x $\frac{1}{2}$ "
45646	15mm x $\frac{1}{2}$ "
45648	16mm x $\frac{1}{2}$ "
45650	18mm x $\frac{1}{2}$ "
45652	18mm x $\frac{3}{4}$ "
45654	22mm x $\frac{3}{4}$ "

## T21S Obtuse street elbow

Art. no.	Size
45528	12mm
45529	14mm
45542	15mm
45543	16mm
45544	18mm
45545	22mm
45546	28mm

## T25 Tee, reduced branch

Art. no.	Size
45700	12 x 12 x 10mm
45710	14 x 14 x 12mm
45715	15 x 15 x 10mm
45717	15 x 15 x 12mm
45719	16 x 16 x 12mm
45722	16 x 16 x 14mm
45724	18 x 18 x 14mm
45726	20 x 20 x 16mm
45730	22 x 22 x 10mm
45736	22 x 22 x 14mm
45737	22 x 22 x 15mm
45739	22 x 22 x $\bar{1}6$ mm
45742	22 x 22 x 18mm
45744	28 x 28 x 15mm
45745	28 x 28 x $\bar{1}8$ mm
45746	28 x 28 x $\bar{2}2$ mm

## Tectite Push-fit fittings

## Tectite Classic series (continued)

## T26 Tee, one end reduced

Art. no.	Size
45780	15 x 10 x 15mm
45786	22 x 15 x 22mm
45788	22 x 18 x 22mm
45790	28 x 15 x 28mm
45792	28 x 18 x 28mm
45793	28 x 22 x 28mm

## T30 Female branch tee

Art. no.	Size
45823	12 x 12mm x 1/2"
45840	15 x 15mm x 1/2"
45825	16 x 16mm x 1/2"
45845	22 x 22mm x 1/2"
45846	22 x 22mm x 3/4"

## T14 Female elbow

Art. no.	Size
45590	10mm x 3/8"
45592	10mm x 1/2"
45594	12mm x 3/8"
45596	12mm x 1/2"
45600	14mm x 1/2"
45606	15mm x 1/2"
45608	16mm x 1/2"
45609	16mm x 3/4"
45614	18mm x 1/2"
45615	18mm x 3/4"
45620	22mm x 3/4"
45622	28mm x 1"

## T62S Tap connector

Art. no.	Size
45910	15mm x 1/2"
45912	15mm x 3/4"
45914	22mm x 3/4"

## T68FF Flat faced union adaptor\*

Art. no.	Size
4075	15mm x 3/4"

## TM81 Manifold

Art. no.	Size
45942	22 x 22 x 10 x 10mm

## T27 Tee, one end and branch reduced

Art. no.	Size
45810	15 x 10 x 10mm
45812	15 x 12 x 12mm
45815	16 x 14 x 14mm
45819	22 x 18 x 18mm
45820	22 x 15 x 15mm
45821	28 x 18 x 18mm
45822	28 x 22 x 22mm

## T61 Stop end

Art. no.	Size
45860	10mm
45862	12mm
45864	14mm
45866	15mm
45868	16mm
45870	18mm
45872	20mm
45874	22mm
45876	28mm

## T62 Tap connector

Art. no.	Size
45900	10mm x 1/2"
45902	15mm x 1/2"
45171	15mm x 3/4"
45903	22mm x 3/4"

## T63 Bent tap connector

Art. no.	Size
45920	10mm x 1/2"
45922	15mm x 1/2"
45924	22mm x 3/4"

## TM80 Manifold\*

Art. no.	Size
45940	22 x 22 x 10mm



## Tectite Push-fit fittings

## Tectite 316 SS series\* (stainless steel)

**TS1 Straight coupling**

Art. no.	Size
25114	15mm
25118	18mm
25121	22mm
25123	28mm
25126	35mm
25128	42mm
25130	54mm

**TS3 Tapered male connector**

Art. no.	Size
25267	15mm x 1/2"
25286	18mm x 1/2"
25288	18mm x 3/4"
25292	22mm x 3/4"
25296	28mm x 1"
25310	35mm x 1 1/4"
25312	42mm x 1 1/2"
25314	54mm x 2"

**TS12 Elbow**

Art. no.	Size
25516	15mm
25520	18mm
25524	22mm
25528	28mm
25530	35mm
25532	42mm
25334	54mm

**TS13 Male elbow**

Art. no.	Size
25561	15mm x 1/2"
25569	18mm x 1/2"
25576	22mm x 3/4"
25578	28mm x 1"

**TS15 Back plate elbow**

Art. no.	Size
25646	15mm x 1/2"
25650	18mm x 1/2"
25654	22mm x 3/4"

**TS2 Straight female connector**

Art. no.	Size
25206	15mm x 1/2"
25210	18mm x 1/2"
25212	18mm x 3/4"
25220	22mm x 1/2"
25222	22mm x 3/4"
25225	28mm x 1"
25230	35mm x 1 1/4"
25232	42mm x 1 1/2"
25234	54mm x 2"

**TS6 Reducer**

Art. no.	Size
25424	18 x 15mm
25426	22 x 15mm
25430	22 x 18mm
25435	28 x 15mm
25437	28 x 18mm
25438	28 x 22mm
25452	35 x 22mm
25454	35 x 28mm
25458	42 x 22mm
25460	42 x 28mm
25462	42 x 35mm
25470	54 x 35mm
25472	54 x 42mm

**TS12S Street elbow**

Art. no.	Size
25496	15mm
25498	18mm
25500	22mm
25502	28mm

**TS14 Female elbow**

Art. no.	Size
25606	15mm x 1/2"
25614	18mm x 1/2"
25615	18mm x 3/4"
25620	22mm x 3/4"
25622	28mm x 1"

**TS21 Obtuse elbow**

Art. no.	Size
26043	15mm
26045	18mm
26047	22mm
26048	28mm
26049	35mm
26050	42mm
26051	54mm

## Tectite Push-fit fittings

## Tectite 316 SS series (continued)

**TS12S Obtuse street elbow**

Art. no.	Size
26063	15mm
26065	18mm
26067	22mm
26068	28mm
26069	35mm
26010	42mm
26071	54mm

**TS25 Tee, reduced branch**

Art. no.	Size
25725	18 x 18 x 15mm
25737	22 x 22 x 15mm
25742	22 x 22 x 18mm
25744	28 x 28 x 15mm
25745	28 x 28 x 18mm
25746	28 x 28 x 22mm
25750	35 x 35 x 15mm
25752	35 x 35 x 22mm
25753	35 x 35 x 28mm
25756	42 x 42 x 22mm
25758	42 x 42 x 28mm
25762	54 x 54 x 22mm
25764	54 x 54 x 28mm
25765	54 x 54 x 35mm
25766	54 x 54 x 42mm

**TS61 Stop end**

Art. no.	Size
25866	15mm
25870	18mm
25874	22mm
25876	28mm
25878	35mm
25880	42mm
25882	54mm

**TS24 Equal tee**

Art. no.	Size
25666	15mm
25670	18mm
25676	22mm
25678	28mm
25680	35mm
25682	42mm
25684	54mm

**TS30 Female branch tee**

Art. no.	Size
25840	15 x 15mm x 1/2"
25843	18 x 18mm x 1/2"
25845	22 x 22mm x 1/2"
25846	22 x 22mm x 3/4"
25847	28 x 28mm x 1/2"
25848	35 x 35mm x 1/2"
25850	42 x 42mm x 1/2"

**TS62 Tap connector**

Art. no.	Size
25902	15mm x 1/2"
25903	22mm x 3/4"

## Tectite Push-fit fittings

**TS1 Straight coupling**

Art. no.	Size
25114	15mm
25118	18mm
25121	22mm
25123	28mm
25126	35mm
25128	42mm
25130	54mm

**TS2 Straight female connector**

Art. no.	Size
25206	15mm x 1/2"
25210	18mm x 1/2"
25212	18mm x 3/4"
25220	22mm x 1/2"
25222	22mm x 3/4"
25225	28mm x 1"
25230	35mm x 1 1/4"
25232	42mm x 1 1/2"
25234	54mm x 2"

**TS3 Tapered male connector**

Art. no.	Size
25267	15mm x 1/2"
25286	18mm x 1/2"
25288	18mm x 3/4"
25292	22mm x 3/4"
25296	28mm x 1"
25310	35mm x 1 1/4"
25312	42mm x 1 1/2"
25314	54mm x 2"

**TS6 Reducer**

Art. no.	Size
25424	18 x 15mm
25426	22 x 15mm
25430	22 x 18mm
25435	28 x 15mm
25437	28 x 18mm
25438	28 x 22mm
25452	35 x 22mm
25454	35 x 28mm
25458	42 x 22mm
25460	42 x 28mm
25462	42 x 35mm
25470	54 x 35mm
25472	54 x 42mm

**TS12 Elbow**

Art. no.	Size
25516	15mm
25520	18mm
25524	22mm
25528	28mm
25530	35mm
25532	42mm
25334	54mm

**TS12S Street elbow**

Art. no.	Size
25496	15mm
25498	18mm
25500	22mm
25502	28mm

**TS13 Male elbow**

Art. no.	Size
25561	15mm x 1/2"
25569	18mm x 1/2"
25576	22mm x 3/4"
25578	28mm x 1"

**TS14 Female elbow**

Art. no.	Size
25606	15mm x 1/2"
25614	18mm x 1/2"
25615	18mm x 3/4"
25620	22mm x 3/4"
25622	28mm x 1"

**TS15 Back plate elbow**

Art. no.	Size
25646	15mm x 1/2"
25650	18mm x 1/2"
25654	22mm x 3/4"

**TS21 Obtuse elbow**

Art. no.	Size
26043	15mm
26045	18mm
26047	22mm
26048	28mm
26049	35mm
26050	42mm
26051	54mm

## Tectite Push-fit fittings

## Tectite 316 SS series (continued)

**TS12S Obtuse street elbow**

Art. no.	Size
26063	15mm
26065	18mm
26067	22mm
26068	28mm
26069	35mm
26010	42mm
26071	54mm

**TS25 Tee, reduced branch**

Art. no.	Size
25725	18 x 18 x 15mm
25737	22 x 22 x 15mm
25742	22 x 22 x 18mm
25744	28 x 28 x 15mm
25745	28 x 28 x 18mm
25746	28 x 28 x 22mm
25750	35 x 35 x 15mm
25752	35 x 35 x 22mm
25753	35 x 35 x 28mm
25756	42 x 42 x 22mm
25758	42 x 42 x 28mm
25762	54 x 54 x 22mm
25764	54 x 54 x 28mm
25765	54 x 54 x 35mm
25766	54 x 54 x 42mm

**TS61 Stop end**

Art. no.	Size
25866	15mm
25870	18mm
25874	22mm
25876	28mm
25878	35mm
25880	42mm
25882	54mm

**TS24 Equal tee**

Art. no.	Size
25666	15mm
25670	18mm
25676	22mm
25678	28mm
25680	35mm
25682	42mm
25684	54mm

**TS30 Female branch tee**

Art. no.	Size
25840	15 x 15mm x 1/2"
25843	18 x 18mm x 1/2"
25845	22 x 22mm x 1/2"
25846	22 x 22mm x 3/4"
25847	28 x 28mm x 1/2"
25848	35 x 35mm x 1/2"
25850	42 x 42mm x 1/2"

**TS62 Tap connector**

Art. no.	Size
25902	15mm x 1/2"
25903	22mm x 3/4"

Tectite Push-fit fittings

---

## Tectite 2013 series

**T1/T270 Coupling**

Art. no.	Size
45114	15 mm
45121	22 mm

**T3P Male Coupling**

Art. no.	Size
45358	15 mm x ½

**T6/T243 Reducer**

Art. no.	Size
45426	22 x 15 mm

**T12/T090 Elbow**

Art. no.	Size
45516	15 mm
45524	22 mm

**T12S/T092 Street Elbow**

Art. no.	Size
45496	15 mm
45500	22 mm

**T24/T130 Equal Tee**

Art. no.	Size
45666	15 mm
45676	22 mm

**T25/T130 Tee**

Art. no.	Size
45737	22 x 22 x 15 mm / 22 x 15 x 22 mm

**T26/T130 Tee**

Art. no.	Size
45786	22 x 15 x 22 mm / 22 x 22 x 15 mm

**T27/T130 Tee Reduced End Branch**

Art. no.	Size
45820	22 x 15 x 15 mm

**T61/T301 Stop end**

Art. no.	Size
45866	15 mm
45874	22 mm

**T62/T062 Tap Connector**

Art. no.	Size
45902	15 mm x ½ St
45171	15 mm x ¾ St
45903	22 mm x ¾

## Tectite Push-fit fittings

---

### Fitness for contact with drinking water



This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

### MARKING

The Kiwa®-mark products are marked with the word mark "KIWA  or the abbreviated word mark . Place of the mark: on the fitting.

\*) for small fittings marking with only KK is permitted

Compulsory specifications:

- name or mark of manufacturer: on the fitting;
- nominal diameter of the connecting pipe: on the fitting.

Method of marking:

- Non-erasable;
- visible after assembly.

### APPLICATION AND USE

Fittings to be tightened with matching compression tool, compression- and push fit fittings as part of an appliance or installation are to be applied in tap water installations with a maximum working pressure of 1000 kPa and a maximum water temperature of 90°C.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Pegler Yorkshire Group Ltd.

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.